



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

* 1 Identification

- **Product identifier**
- **Trade name: Leather Finish**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Bee Natural Leathercare, LLC
11700 NE 60th Way
Vancouver, WA 98682
360-891-7178
- **Emergency telephone number:** 360-891-7178

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard


Repr. 1B H360 May damage fertility or the unborn child.

- **Label elements**
- **GHS label elements**
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard statements**
H360 May damage fertility or the unborn child.
- **Precautionary statements**
P281 Use personal protective equipment as required.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**

Health = 0
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**

HEALTH 0 Health = 0
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: Leather Finish

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

*** 3 Composition/information on ingredients**

7732-18-5	water, distilled, conductivity or of similar purity	45-60%
-----------	---	--------

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

• **Dangerous components:**

26264-05-1	Alkyl aryl sulfonate, isopropyl amine salt ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; H402; Aquatic Chronic 3, H412	2-12%
	Norfox 80/20 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%
112-80-1	oleic acid, pure ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%
1303-96-4	Disodium tetraborate, decahydrate ⚠ Repr. 1B, H360	≤ 2.5%

• **SVHC**

1303-96-4	Disodium tetraborate, decahydrate
-----------	-----------------------------------

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Give large amounts of water. If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.

(Contd. on page 3)



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: Leather Finish

(Contd. of page 2)

Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

Information about protection against explosions and fires: Keep protective respiratory device available.**Conditions for safe storage, including any incompatibilities****Storage:**

- Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility:** Not required.
- Further information about storage conditions:** None.
- Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.**Control parameters****Components with limit values that require monitoring at the workplace:****1303-96-4 Disodium tetraborate, decahydrate**

REL	Long-term value: 5 mg/m ³
TLV	Short-term value: 6* mg/m ³ Long-term value: 2* mg/m ³ *as inhalable fraction

Additional information: The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

Breathing equipment: Not required.**Protection of hands:**

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Select glove material based on penetration times, rates of diffusion and degradation.

Material of gloves

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

- The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 4)



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: Leather Finish

(Contd. of page 3)

- **Eye protection:** Goggles recommended during refilling.

* 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Liquid
· Color:	Whitish
· Odor:	Characteristic
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· Ignition temperature:

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

· Lower:	0.0 Vol %
· Upper:	0.0 Vol %

· **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17 mm Hg)

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· Solvent content:

· Organic solvents:	0.5 %
· Water:	90.9 %
· VOC content:	5.4 %

· **Solids content:** 3.7 %

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.

(Contd. on page 5)



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: **Leather Finish**

(Contd. of page 4)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
- **Carcinogenic categories**

• IARC (International Agency for Research on Cancer)	
102-71-6 Triethanolamine, TEA	3

• NTP (National Toxicology Program)	
None of the ingredients is listed.	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

* 14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Non-Regulated Material

(Contd. on page 6)



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: Leather Finish

(Contd. of page 5)

- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Non-Regulated Material
- **Packing group**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):	None of the ingredients is listed.
--	------------------------------------

· Section 313 (Specific toxic chemical listings):	None of the ingredients is listed.
--	------------------------------------

· TSCA (Toxic Substances Control Act):	
26264-05-1	Alkyl aryl sulfonate, isopropyl amine salt
112-80-1	oleic acid, pure
8012-89-3	Beeswax
8015-86-9	Carnauba Wax
1303-96-4	Disodium tetraborate, decahydrate
102-71-6	Triethanolamine, TEA
64-19-7	Glacial Acetic Acid
7732-18-5	water, distilled, conductivity or of similar purity

· **Proposition 65**

· Chemicals known to cause cancer:	None of the ingredients is listed.
---	------------------------------------

· Chemicals known to cause reproductive toxicity for females:	None of the ingredients is listed.
--	------------------------------------

· Chemicals known to cause reproductive toxicity for males:	None of the ingredients is listed.
--	------------------------------------

· Chemicals known to cause developmental toxicity:	None of the ingredients is listed.
---	------------------------------------

· **Carcinogenic categories**

· EPA (Environmental Protection Agency)	None of the ingredients is listed.
--	------------------------------------

· TLV (Threshold Limit Value established by ACGIH)	
1303-96-4	Disodium tetraborate, decahydrate
	A4

(Contd. on page 7)



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: Leather Finish

(Contd. of page 6)

<ul style="list-style-type: none"> • NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.

<ul style="list-style-type: none"> • OSHA-Ca (Occupational Safety & Health Administration)
Corrosive to eyes

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms**



GHS08

• **Signal word** Danger

• **Hazard statements**

H360 May damage fertility or the unborn child.

• **Precautionary statements**

P281 Use personal protective equipment as required.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

<ul style="list-style-type: none"> • National regulations:
The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

<ul style="list-style-type: none"> • State Right to Know 																		
<table border="1"> <tr> <td>26264-05-1</td> <td>Alkyl aryl sulfonate, isopropyl amine salt ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; H402; Aquatic Chronic 3, H412</td> <td>2-12%</td> </tr> <tr> <td></td> <td>Norfox 80/20 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320</td> <td>≤ 2.5%</td> </tr> <tr> <td>112-80-1</td> <td>oleic acid, pure ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335</td> <td>≤ 2.5%</td> </tr> <tr> <td>8012-89-3</td> <td>Beeswax</td> <td>≤ 2.5%</td> </tr> <tr> <td>8015-86-9</td> <td>Carnauba Wax</td> <td>≤ 2.5%</td> </tr> <tr> <td>1303-96-4</td> <td>Disodium tetraborate, decahydrate ⚠ Repr. 1B, H360</td> <td>≤ 2.5%</td> </tr> </table>	26264-05-1	Alkyl aryl sulfonate, isopropyl amine salt ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; H402; Aquatic Chronic 3, H412	2-12%		Norfox 80/20 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%	112-80-1	oleic acid, pure ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%	8012-89-3	Beeswax	≤ 2.5%	8015-86-9	Carnauba Wax	≤ 2.5%	1303-96-4	Disodium tetraborate, decahydrate ⚠ Repr. 1B, H360	≤ 2.5%
26264-05-1	Alkyl aryl sulfonate, isopropyl amine salt ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; H402; Aquatic Chronic 3, H412	2-12%																
	Norfox 80/20 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%																
112-80-1	oleic acid, pure ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 2.5%																
8012-89-3	Beeswax	≤ 2.5%																
8015-86-9	Carnauba Wax	≤ 2.5%																
1303-96-4	Disodium tetraborate, decahydrate ⚠ Repr. 1B, H360	≤ 2.5%																
None of the ingredients is listed.																		

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Date of preparation / last revision** 12/18/2013 / 2

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)



Safety Data Sheet (SDS)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 12/18/2013

Reviewed on 12/18/2013

Trade name: Leather Finish

(Contd. of page 7)

DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)

· *** Data compared to the previous version altered.**

SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)