

## Safety data sheet according to U.S.A. Federal Hazcom 2012

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name **MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)  
UNITERS LEATHER DEGREASER (AEROSOL)**

**1.2. Relevant identified uses of the substance or mixture and uses advised against**  
Intended use **Degreaser for leathers.**

#### 1.3. Details of the supplier of the safety data sheet

Name **Uniters Spa**  
Full address **Via E. De Nicola, 1**  
District and Country **36075 Montecchio Maggiore (VI)  
Italia**  
**Tel. 0039 0444 499099**  
**Fax 0039 0444 499106**

e-mail address of the competent person  
responsible for the Safety Data Sheet **safetydata@uniters.com**

#### 1.4. Emergency telephone number

For urgent inquiries refer to **Poison Center**  
**:Albuquerque,Amarillo,Atlanta,Baltimore,Birmingham,Boston,Buffalo,Charleston,Charl**  
**otte,Charlottesville,Chicago,Cincinnati,Cleveland,Columbia,Columbus,Dallas,Davis,De**  
**nver,Detroit,El**  
**Paso,Farmington,Galveston,Harrisbury,Indianapolis,Jackson,Jacksonville,Kansas**  
**City,Little Rock,Long**  
**Island,Louisville,Madera,Miami,Milwaukee,Minneapolis,Nashville,New**  
**York,Newark,Oklahoma**  
**City,Omaha,Philadelphia,Phoenix,Pittsburgh,Portland,Richmond,Rochester,Salt Lake**  
**City,San Antonio,San Diego,San Francisco,Seattle,Shreveport,Sioux City,St.**  
**Louis,Syracuse,Tampa,Temple,Tucson,Tuscaloosa,Washington DC : 18002221222**

### SECTION 2. Hazards identification.

#### 2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.  
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement.

Aerosol, category 1  
Aspiration hazard, category 1  
Skin irritation, category 2  
Specific target organ toxicity - single exposure, category 3

Extremely flammable aerosol.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause drowsiness or dizziness.



**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

Signal words:            Danger

## Hazard statements:

**H222**                    Extremely flammable aerosol.  
**H304**                    May be fatal if swallowed and enters airways.  
**H315**                    Causes skin irritation.  
**H336**                    May cause drowsiness or dizziness.

## Precautionary statements:

## Prevention:

**P210**                    Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
**P211**                    Do not spray on an open flame or other ignition source.  
**P251**                    Do not pierce or burn, even after use.  
**P261**                    Avoid breathing dust / fume / gas / mist / vapours / spray.  
**P264**                    Wash thoroughly the hands after handling.  
**P271**                    Use only outdoors or in a well-ventilated area.  
**P273**                    Avoid release to the environment.  
**P280**                    Wear protective gloves.

## Response:

**P302+P352**            IF ON SKIN: wash with plenty of water.  
**P304+P340**            IF INHALED: remove person to fresh air and keep comfortable for breathing.  
**P331**                    Do NOT induce vomiting.  
**P362+P364**            Take off contaminated clothing and wash it before reuse.  
**P391**                    Collect spillage.

## Storage:

**P403+P233**            Store in a well-ventilated place. Keep container tightly closed.  
**P405**                    Store locked up.  
**P410+P412**            Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

## Disposal:

**P501**                    Dispose of contents / container in accordance with the rules on waste

## 2.2. Other hazards.

Environmental classification as for Reg. (EU) 1272/2008 (CLP):

The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

## Classification and Hazard Statement.

Hazardous to the aquatic environment, chronic toxicity, category 2

Toxic to aquatic life with long lasting effects.



## Hazard statements:

**H411**                    Toxic to aquatic life with long lasting effects.

## Precautionary statements:

## Prevention:

**P273**                    Avoid release to the environment.

## Response:

**P391**                    Collect spillage.

--

## Storage:

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

--  
Disposal:  
**P501** Dispose of contents / container in accordance with the rules on waste  
--

Additional hazards.

**SECTION 3. Composition/information on ingredients.****3.1. Substances.**

Information not relevant.

**3.2. Mixtures.**

Contains:

Identification.	Conc. %.	Classification:
<b>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics</b>		
CAS. -	35 - 37.5	Flammable liquid, category 2 H225, Aspiration hazard, category 1 H304, Skin irritation, category 2 H315, Specific target organ toxicity - single exposure, category 3 H336, Hazardous to the aquatic environment, chronic toxicity, category 2 H411
<b>BUTANE</b>		
CAS. 106-97-8	24 - 25.5	Flammable gas, category 1 H220
<b>PROPANE</b>		
CAS. 74-98-6	24 - 25.5	Flammable gas, category 1 H220
<b>ETHYL ACETATE</b>		
CAS. 141-78-6	6 - 7	Flammable liquid, category 2 H225, Eye irritation, category 2 H319, Specific target organ toxicity - single exposure, category 3 H336

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

**SECTION 4. First aid measures.****4.1. Description of first aid measures.**

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

**SKIN:** Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

**INHALATION:** Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

**INGESTION:** Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)****4.2. Most important symptoms and effects, both acute and delayed.**

For symptoms and effects caused by the contained substances, see chap. 11.

**4.3. Indication of any immediate medical attention and special treatment needed.**

Information not available.

**SECTION 5. Firefighting measures.****5.1. Extinguishing media.**

## SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

## UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

**5.2. Special hazards arising from the substance or mixture.**

## HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

**5.3. Advice for firefighters.**

## GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

## SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures.****6.1. Personal precautions, protective equipment and emergency procedures.**

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

**6.2. Environmental precautions.**

Do not disperse in the environment.

**6.3. Methods and material for containment and cleaning up.**

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

compliance with the provisions set forth in point 13.

**6.4. Reference to other sections.**

Any information on personal protection and disposal is given in sections 8 and 13.

**SECTION 7. Handling and storage.****7.1. Precautions for safe handling.**

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

**7.2. Conditions for safe storage, including any incompatibilities.**

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C, away from any combustion sources.

**7.3. Specific end use(s).**

Information not available.

**SECTION 8. Exposure controls/personal protection.****8.1. Control parameters.**

Regulatory References:

USA	NIOSH-REL	NIOSH publication No. 2005-149, 3th printing, 2007.
USA	OSHA-PEL	Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000.
USA	CAL/OSHA-PEL	California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs).
EU	OEL EU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC.
	TLV-ACGIH	ACGIH 2014

**Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics****Threshold Limit Value.**

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
OEL	EU	1400	0	0	0

**PROPANE****Threshold Limit Value.**

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

TLV-ACGIH	-		1000
OSHA	USA	1800	1000
CAL/OSHA	USA	1800	1000
NIOSH	USA	1800	1000

**BUTANE****Threshold Limit Value.**

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH	-			2377	1000
CAL/OSHA	USA	1.9	800		
NIOSH	USA	1900	800		

**ETHYL ACETATE****Threshold Limit Value.**

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
TLV-ACGIH	-	1441	400		
OSHA	USA	1400	400		
CAL/OSHA	USA	1.4	400		
NIOSH	USA	1400	400		

**8.2. Exposure controls.**

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must comply with current regulations.

Provide an emergency shower with face and eye wash station.

**HAND PROTECTION**

None required.

**SKIN PROTECTION**

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

**EYE PROTECTION**

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

**RESPIRATORY PROTECTION**

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a NIOSH certified combined filter should be worn (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

**ENVIRONMENTAL EXPOSURE CONTROLS.**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## SECTION 9. Physical and chemical properties.

### 9.1. Information on basic physical and chemical properties.

Appearance	aerosol
Colour	colourless
Odour	solvent
Odour threshold.	Not available.
pH.	N.D.
Melting point / freezing point.	Not available.
Initial boiling point.	35 °C.
Boiling range.	Not available.
Flash point.	< -10 °C.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	Not available.
Solubility	immiscible with water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

### 9.2. Other information.

Solid content.	6,79 %
----------------	--------

## SECTION 10. Stability and reactivity.

### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM: can form flammable mixtures with the air.

### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHYL ACETATE: risk of explosion on contact with: metals, alkalis, hydrides. oleum. can react violently with: fluoride, strong oxidising agents, chlorosulfuric acid, potassium tert-butoxide. Forms explosive mixtures with the air.

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)****10.4. Conditions to avoid.**

Avoid overheating.

ETHYL ACETATE: avoid exposure to light, sources of heat and naked flames.

**10.5. Incompatible materials.**

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

ETHYL ACETATE: acids and bases, strong oxidising agents; aluminium and some plastics, nitrates and chlorosulphuric acid.

**10.6. Hazardous decomposition products.**

Information not available.

**SECTION 11. Toxicological information.****11.1. Information on toxicological effects.**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

The introduction of even small quantities of this liquid into the respiratory system in case of ingestion or vomit may cause bronchopneumonia and pulmonary edema.

Acute effects: contact with skin may cause: irritation, erythema, edema, dryness and chapped skin.

Ingestion may cause health disorders, including stomach pain and sting, nausea and sickness.

This product contains highly volatile substances, which may cause serious depression of the central nervous system (CNS) and have negative effects, such as drowsiness, dizziness, slow reflexes, narcosis.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

LD50 (Oral).> 8 ml/Kg

LD50 (Dermal).> 4 ml/Kg

LC50 (Inhalation).> 46.6 mg/l

**SECTION 12. Ecological information.**

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

**12.1. Toxicity.**

Hydrocarbons, C7, n-

alkanes, isoalkanes, cyclics

LC50 - for Fish. > 134 mg/l/96h

EC50 - for Crustacea. 12 mg/l/48h

EC50 - for Algae / Aquatic > 10 mg/l/72h

Plants.

**12.2. Persistence and degradability.**



**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)****BUTANE**

Solubility in water. mg/l 0.1 - 100

Rapidly biodegradable.

**PROPANE**

Solubility in water. mg/l 0.1 - 100

Rapidly biodegradable.

**ETHYL ACETATE**

Solubility in water. &gt; 10000 mg/l

Rapidly biodegradable.

**12.3. Bioaccumulative potential.****BUTANE**

Partition coefficient: n-octanol/water. 1.09

**PROPANE**

Partition coefficient: n-octanol/water. 1.09

**ETHYL ACETATE**

Partition coefficient: n-octanol/water. 0.68

BCF. 30

**12.4. Mobility in soil.**

Information not available.

**12.5. Results of PBT and vPvB assessment.**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

**12.6. Other adverse effects.**

Information not available.

**SECTION 13. Disposal considerations.****13.1. Waste treatment methods.**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Il trasporto dei rifiuti può essere soggetto ai regolamenti di trasporto per le merci pericolose.

**CONTAMINATED PACKAGING**

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information.****14.1. UN number.**

ADR / RID, IMDG, IATA: 1950

**14.2. UN proper shipping name.**

ADR / RID: AEROSOLS,  
FLAMMABLE  
IMDG: AEROSOLS  
(Hydrocarbons,  
C7, n-alkanes,  
isoalkanes,  
cyclics)  
IATA: AEROSOLS,  
FLAMMABLE

**14.3. Transport hazard class(es).**

ADR / RID: Class: 2 Label: 2.1  
IMDG: Class: 2 Label: 2.1  
IATA: Class: 2 Label: 2.1

**14.4. Packing group.**

ADR / RID, IMDG, IATA: -

**14.5. Environmental hazards.**

ADR / RID: Environmentally  
Hazardous.  
IMDG: Marine Pollutant.  
IATA: NO



For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

**14.6. Special precautions for user.**

ADR / RID: HIN - Kemler: --

Limited  
Quantities 1 L

Tunnel  
restriction  
code (D)

IMDG: Special Provision: -

EMMS: F-D, S-U

Limited  
Quantities 1 L

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

IATA:	Cargo:	Maximum quantity: 150 Kg	Packaging instructions: 203
	Pass.:	Maximum quantity: 75 Kg	Packaging instructions: 203
	Special Instructions:	A145, A167, A802	

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.**

Information not relevant.

**SECTION 15. Regulatory information.****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.**U.S. Federal Regulations.Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act –  
Priority Pollutants:

No component(s) listed.

Clean Water Act –  
Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

No component(s) listed.

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

141-78-6

ETHYL ACETATE

EPCRA 313 TRI:

No component(s) listed.

RCRA Code:

141-78-6

ETHYL ACETATE

CAA 112 (r) RMP TQ:

106-97-8

BUTANE (Alkanes)

74-98-6

PROPANE (Alkanes, Alkanes  
(aliphatic hydrocarbon alkanes, C1-  
C4))

State Regulations.

Massachusetts:

7631-86-9

106-97-8

BUTANE (Alkanes)

74-98-6

PROPANE (Alkanes, Alkanes  
(aliphatic hydrocarbon alkanes, C1-  
C4))

141-78-6

ETHYL ACETATE

Minnesota:

7631-86-9

106-97-8

BUTANE (Alkanes)

74-98-6

PROPANE (Alkanes, Alkanes  
(aliphatic hydrocarbon alkanes, C1-  
C4))

141-78-6

ETHYL ACETATE

New Jersey:

106-97-8

BUTANE (Alkanes)

74-98-6

PROPANE (Alkanes, Alkanes  
(aliphatic hydrocarbon alkanes, C1-  
C4))

141-78-6

ETHYL ACETATE

New York:

141-78-6

ETHYL ACETATE

Pennsylvania:

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

7631-86-9

106-97-8

74-98-6

141-78-6

BUTANE (Alkanes)

PROPANE (Alkanes, Alkanes  
(aliphatic hydrocarbon alkanes, C1-  
C4))

ETHYL ACETATE

California:

7631-86-9

106-97-8

141-78-6

BUTANE (Alkanes)

ETHYL ACETATE

Proposition 65:International Regulations.Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Canadian WHMIS.

Information not available.

**SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Flam. Gas 1</b>	Flammable gas, category 1
<b>Aerosol 1</b>	Aerosol, category 1
<b>Flam. Liq. 2</b>	Flammable liquid, category 2
<b>Asp. Tox. 1</b>	Aspiration hazard, category 1
<b>Eye Irrit. 2</b>	Eye irritation, category 2
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>STOT SE 3</b>	Specific target organ toxicity - single exposure, category 3
<b>Aquatic Chronic 2</b>	Hazardous to the aquatic environment, chronic toxicity, category 2
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, chronic toxicity, category 3
<b>Aquatic Chronic 4</b>	Hazardous to the aquatic environment, chronic toxicity, category 4
<b>H220</b>	Extremely flammable gas.
<b>H222</b>	Extremely flammable aerosol.
<b>H225</b>	Highly flammable liquid and vapour.
<b>H304</b>	May be fatal if swallowed and enters airways.

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H336</b>	May cause drowsiness or dizziness.
<b>H411</b>	Toxic to aquatic life with long lasting effects.
<b>H412</b>	Harmful to aquatic life with long lasting effects.
<b>H413</b>	May cause long lasting harmful effects to aquatic life.

## LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

## GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh - Registry of Toxic Effects of Chemical Substances
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Communication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachusetts 105 CMR Department of public health 670.000: "Right to Know"
- Minnesota Chapter 5206 Department Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

**MASTER LEATHER CARE LEATHER DEGREASER (AEROSOL)**

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.